


一、结构

- 1.目镜玻璃片
- 2.可调目镜
- 3.变焦手轮
- 4.镀膜物镜
- 5.防尘镜



二、不同的目镜匹配同一物镜的不同放大率


目镜	标准配置		附加大物镜					
			0.5X		0.7X		2X	
	工作距离103mm		工作距离180mm		工作距离115mm		工作距离30mm	
	放大倍率	视场范围	放大倍率	视场范围	放大倍率	视场范围	放大倍率	视场范围
10X/23 标准配置	6.5X-65X	4-34mm	3.25X-32.5X	8-68mm	4.55X-45.5X	5.7-48.5mm	13X-130X	2-17mm
20X/10	13X-130X	3.5-30mm	6.5X-65X	7-60mm	9.1X-91X	5-42.8mm	26X-260X	1.7-15mm

三、显微镜详情

型号	图片	底座和支柱	镜头和配件	相机和显示屏
CX71P			6.5-65倍放大	不同型号可选的
			WF10X/23mm	
			0.5X CTV	
			防尘镜	
			OK-9 144LED灯	

I, Structure

1. Eyepieces glass
2. Adjustable Eyepieces
3. Zoom Control Knob
4. Coated objective lens
5. Dust-proof lens



II, Different eyepieces match different magnifications of the same objective lens

Eyepiece	Standard Configuration		Auxiliary Observation					
			0.5X		0.7X		2X	
	Working Distance 103mm		Working Distance 180mm		Working Distance 115mm		Working Distance 30mm	
	Magnification	Field Of View	Magnification	Field Of View	Magnification	Field Of View	Magnification	Field Of View
10X/23 Standard Configuration	6.5X-65X	4-34mm	3.25X-32.5X	8-68mm	4.55X-45.5X	5.7-48.5mm	13X-130X	2-17mm
20X/10	13X-130X	3.5-30mm	6.5X-65X	7-60mm	9.1X-91X	5-42.8mm	26X-260X	1.7-15mm

III, Microscope Details

型号	图片	底座和支柱	镜头和配件	相机和显示屏
CX71P			6.5-65X Zoom	不同型号可选的
			WF10X/23mm	
			0.5X CTV	
			Dust-proof lens	
			OK-9 144 LED lamp	

ACCESSORIES

配件



0.5X CTV



Dustproof lens



144 LED Light
(cable without plug)



RF-EM6

选配

LENS



0.5X
objective lens



0.7X
objective lens



0.48X
objective lens

CAMERA



4KCIPRO



RF-4KC7



2KC2PRO



2KC3

MONITOR



15.6inch 4K

M156



10inch
WIFI camera

YS010W



10inch

S101